

Advanced Placement (AP) in DARS and u.Select

Advanced Placement Examination courses and scores can be encoded in DARS and displayed in u.select. In the examples below, the Examination is used as the course and the score as the grade.

Encoding occurs in four places:

- Source Institutional Reference Table
- Target Institutional Reference Table
- Transfer Articulation Table
- Audit Grade Table

AP scores of 3, 4, and 5 are successful scores. Instructions for encoding AP exams are defined by your campus policy for specific AP exams, and in some cases, the successful score level.

NOTE: Advanced Placement in DARS is not a FICE institution. It will not export. If you are using the Export process to populate the Education tab for students in ISRS, you must manually enter the accepted course and credit

Source Institutional Reference Table

Identify the source for Advanced Placement on the General tab of the Institutional Reference Table. The SourceID is < **AP** > (this is not FICE defined), the Report InstID is a unique identifier, and the SPEEDE InstIDQ is set to < **ZZ** > (Other). Status set to "Normal Processing" to display in u.select.

The screenshot shows the 'Institutional Reference: AP 000000-999999 Advanced Placement' form. The 'General' tab is active. The 'Source ID' is set to 'AP'. The 'Report InstID' is 'AP'. The 'Grade Case' is 'Upper'. The 'Status' is 'Normal Processing'. The 'SPEEDE InstIDQ' is 'ZZ'. A red arrow points to the 'SPEEDE InstIDQ' field.

Course tab values: Mask of < **AA99** >, Department Begin < **1** >, Department End < **2** >, Course Begin < **3** >, Course End < **4** >. Set the BACC value to < **A** > AP Program, and ACTC to < **X** > Other.

Source Grade definition identifies the scores for AP. The U-to-I box is checked, with grades < **1** > through < **5** >. The Universal Grades are defined as **AP1**, **AP2**, **AP3**, **AP4**, and **AP5**. Assign Universal Condition Codes for each grade. We used: **AP1**, **AP2**, **AP3**, **AP4**, and **AP5**.


Type	IU	Grade	A	R	UI	UGrd	Acu	Rcu	GPA	Calc	Crdt	Ct	C1	C2	UC1	UC2	Yr	Trm	Range
Grade	<input checked="" type="checkbox"/>	1			<input checked="" type="checkbox"/>	AP1			.000	N	N	0			AP1				
Grade	<input checked="" type="checkbox"/>	2			<input checked="" type="checkbox"/>	AP2			.000	N	N	0			AP2				
Grade	<input checked="" type="checkbox"/>	3			<input checked="" type="checkbox"/>	AP3			.000	N	Y	1			AP3				
Grade	<input checked="" type="checkbox"/>	4			<input checked="" type="checkbox"/>	AP4			.000	N	Y	1			AP4				
Grade	<input checked="" type="checkbox"/>	5			<input checked="" type="checkbox"/>	AP5			.000	N	Y	1			AP5				
Grade	<input checked="" type="checkbox"/>	#			<input checked="" type="checkbox"/>	IS13			.000	N	N	0							
Grade	<input checked="" type="checkbox"/>	*			<input checked="" type="checkbox"/>	UNKN			.000	N	N	0							

Target Institutional Reference Table

Add AP **Condition Codes** to your TARGET Master Institutional Reference Grade Table. The Universal Grades of AP1, AP2, AP3, AP4, and AP5 are assigned a unique course condition code. The user defined condition codes of 1, 2, 3, 4 or 5 are matched in transfer rules. .

Type	IU	Grade	A	R	UI	UGrd	Acu	Rcu	GPA	Calc	Crdt	Ct	C1	C2	UC1	UC2	Yr	Trm	Range
Condition	<input type="checkbox"/>	NT1			<input checked="" type="checkbox"/>	AP1			.000			0	1						
Condition	<input type="checkbox"/>	NT2			<input checked="" type="checkbox"/>	AP2			.000			0	2						
Condition	<input type="checkbox"/>	T3			<input checked="" type="checkbox"/>	AP3			.000			1	3						
Condition TZ	<input type="checkbox"/>	T4			<input checked="" type="checkbox"/>	AP4			.000			1	4						
Condition	<input type="checkbox"/>	T5			<input checked="" type="checkbox"/>	AP5			.000			1	5						
Condition TP	<input type="checkbox"/>	NTR			<input checked="" type="checkbox"/>	T-V			.000			0							
Condition NT1	<input type="checkbox"/>	TP			<input checked="" type="checkbox"/>	CLEP			.000		Y	1							
Condition NT2	<input type="checkbox"/>	T?			<input checked="" type="checkbox"/>	UNKN			.000			0							
Condition T3	<input type="checkbox"/>	TWA			<input checked="" type="checkbox"/>	VARs			.000	N	Y	1							

Add the AP course condition codes to your list of Condition Descriptions.



Audit Grade Table

Include the grades assigned to AP scores on the Audit Grade Table. In the example below, Grade table entries for successful AP examinations are T3, T4, and T5. AP grades for non-acceptable grades for AP scores are NT1, and NT2, and carry no GPA Calculation, added credit, or added count.

The Condition codes assigned when this rule is matched (Condg = **T, n**) are assigned to these courses as a result of characteristics that the course's grade may have. In this example, Condg of **< T >** appears on each of the grades that is assigned to evaluated transfer work, but not on any grades that are awarded by the home institution. The Condg of **< T >** is set in the driver. The Condg of **< n >** is a user defined condition code and appears on un-successful grades (NT1 and NT2), but not on successful grades.

Knowing that a course has the characteristic of being a transfer course would be important to the residency test in an audit. Knowing that a course has the characteristic of being un-successful would be important in a requirement displaying courses attempted but not successful.

If you are testing either of these characteristics, you should define the condition code(s) assigned to the Advance Placement successful and un-successful grades.

Grade	Report Grade	GPA Pt	GPA Calc	Add Credit	Add Count	Condg	Ac	Pseu	Force	Delig	Re	C
37	NT1	.000		0		Tn				X	R	more
38	NT2	.000		0		Tn				X	R	more
39	T3	.000	Y	1		T				X	R	more
40	T4	.000	Y	1		T				X	R	more
41	T5	.000	Y	1		T				X	R	more

Transfer Articulation Table

Advanced Placement Source courses as identified by redLantern will show in u.select. The Course rule for each exam includes the unique Source identifier and title.

A complete list of source courses and titles is at:

http://www.dars.mntransfer.org/updates/documents/pdf/Advanced_Placement_t.pdf .

In our example a score of 3 for AP European History (AP43) articulated to 3 credits of HIST 1021. The target course has an F (Force credit) check.

Transfer Articulation: AP 000000 Advanced Placement

Source ID: AP CD: DP Mask: FYT: 000000
 Name: Advanced Placement LYT: 999999
 Default InstID: CD: Universal Mask: Group: HIST

Segment	Cond	Lim Ct	Lim Hrs	Cl Cd	A	R	Status	Memo
1	HIST		0	.00				

Source	P	Title	T	Hours	A	R	Eff	Date
1	AP43	European History score of 3	<input type="checkbox"/>	0.00	3			

AA99

Target	P	Title	Hours	F	Status	Alt
1	HIST1021		3.00	<input checked="" type="checkbox"/>		

AA??9999

In the example below, the AP43 (European History), with a score of 4 or 5, articulates to 6 credits of HIST 1021 and HIST 1022. The target course credit is F (Force credit) check. Using the Lim Ct of 1, the rule needs only one of the two possible examinations with condition codes of 4 or 5.

Transfer Articulation: AP 000000 Advanced Placement

Source ID: AP CD: DP Mask: FYT: 000000
 Name: Advanced Placement LYT: 999999
 Default InstID: CD: Universal Mask: Group: HIST

Segment	Cond	Lim Ct	Lim Hrs	Cl Cd	A	R	Status	Memo
2	HIST	1	.00					

Source	P	Title	T	Hours	A	R	Effective Date
1	AP43	European History score of 4	<input type="checkbox"/>	0.00	4		-
2	AP43	European History score of 5	<input type="checkbox"/>	0.00	5		-

AA99

Target	P	Title	Hours	F	Status	Alternate	Flags
1	HIST1021		3.00	<input checked="" type="checkbox"/>		HIST1021	<input type="checkbox"/>
2	HAIS1022		3.00	<input checked="" type="checkbox"/>			<input type="checkbox"/>

AA??9999

In the example below, articulation of AP07 (United States History) is the same for scores of 3, 4, or 5.

Using the Lim Ct of 1, the rule needs only one of the three possible examinations with condition codes of 3, 4, or 5. AP07, with a score of 3, 4, or 5 articulates to HIST2122 and HIST2123.

Transfer Articulation: AP 000000 Advanced Placement

Source ID: AP CD: DP Mask: FYT: 000000
 Name: Advanced Placement LYT: 999999
 Default InstID: CD: Universal Mask: Group: HIST

Segment	Cond	Lim Ct	Lim Hrs	Ctl Cd	A	R	Status	Memo
2	HIST	1	.00					

Source	P	Title	T	Hours	A	R	Effective Date
1	AP07	United States Hist score of 3	<input type="checkbox"/>	0.00	3		-
2	AP07	United States Hist score of 4	<input type="checkbox"/>	0.00	4		-
3	AP07	United States Hist score of 5	<input type="checkbox"/>	0.00	5		-

AA99 Rows: 3

Target	P	Title	Hours	F	Status
1	HIST2122		3.00	<input checked="" type="checkbox"/>	
2	HIST2123		3.00	<input checked="" type="checkbox"/>	

AA??9999 Rows: 2

Alternate Flags
 HIST2123 P

Non-acceptable AP examination scores

The Transfer Articulation table is not complete until you define the unacceptable AP scores of 1 and 2.

The final rules of the AP transfer articulation table accommodate examination scores of 1 or 2. AP examinations with scores of 1 and 2 articulate to the target course of "NO TRANS". The title is used to notify the student that the score of 1 or 2 is below the minimum.

Transfer Articulation: AP 000000 Advanced Placement

Source ID: AP CD: DP Mask: FYT: 000000
 Name: Advanced Placement LYT: 999999
 Default InstID: CD: Universal Mask: Group: HIST


Segment	Cond	Lim Ct	Lim Hrs	Ctl Cd	A	R	Status	Memo
1	ZZZZ	0	.00				H	

Source	P	Title	T	Hours	A	R	Effective Date
1	****	Score of 1 is below minimum	<input type="checkbox"/>	0.00	1		-


AA99 Rows: 1

Target	P	Title	Hours	F	Status
1	NO TRANS		3.00	<input checked="" type="checkbox"/>	

Alternate Flags
 NO TRANS




You will also create unknown rules for scores of 3, 4, and 5.



Joe Cool

In the following example, AP reported scores of 3 for European History, 4 for AP, U.S. Govt. and Politics, and 2 for Macroeconomics.

Note that the Date, Course and Grade are entered on the student record. The student's examination score is the Grade. Credits will be assigned through TA processing.



Audit appearance

The audit below shows the articulations for AP European History (AP43), with a score of 3, U.S. Govt. and Politics (AP57) with a score of 4, and Macroeconomics with a score of 2.

* Advanced Placement			
Abbreviated on report as: AP			
Courses Taken From F 2004 to F 2004			
F 04	HIST1021	3.0 T3	European History score of 3 AP : AP43
F 04	NO TRANS	0.0 NT2	Score of 2 is below minimum AP : AP35
F 04	POLS1031	3.0 T4	U.S. Govt & Politics score 4 AP : AP57

Joe Cool

In the following example, AP reported a score of 5 for AP, European History, and a score of 4 for AP, Government & Politics: United States.

Note that the Date, Course and Grade are entered on the student record. Credits will be assigned through TA processing.

Advanced Placement								
Course List			Course Detail			Alternate IDs and Misc.		
	YR/TM	Course	RCredit	Grade	Title	P	I/flg1	Seq
1	2005 3	AP43	0.00	5		<input type="checkbox"/>		001
2	2005 3	AP57	0.00	4		<input type="checkbox"/>		001

Audit appearance

NO	Goal Five: History/Social and Behavioral Sciences
	Minimum of 9 credits from three different disciplines
	EARNED: 3 COURSES
-	1) Three different disciplines required:
	9.00 CREDITS ADDED
F 04	HIST1021 3.0 T5 European History score of 5 AP : AP43
F 04	HIST1022 3.0 T5 European History score of 5 AP : AP43
F 04	POLS1031 3.0 T4 U.S. Govt & Politics score 4 AP : AP57
	COURSE LIST- ANTHROPOLOGY: ANTH 1021,1023, ANTH 1051(3-99-S201),1055(F 98-S201),1061,2031,

This may be a rule you wish to hide in u.select.

u.select Course Equivalency Appearance:

In the example below, the AP examination for Chemistry (AP25) with a score of 3 articulates to CHEM1127. A score of 4 or 5 articulates to CHEM1127 and CHEM1128.

AP25 - Chemistry score of 3	CHEM1111 (4 hours) Alternate: GOAL 3
AP25 - Chemistry score of 4 or AP25 - Chemistry score of 5	CHEM1111 (4 hours) and CHEM1112 (4 hours) Alternate: GOAL 3

NOTE: Advanced Placement in DARS is not a FICE institution. It will not export. If you are using the Export process to populate the Education tab for students in ISRS, you must manually enter the accepted course and credit

Revised: 10/14/10